



## PR500-EM

Access Control

### Mullion proximity reader

- 
- EM proximity reader
  - Reader range up to 30 cm
  - Slim neat design

The PR500-EM is a compact proximity reader for SiPass Entro or SiPass Entro Lite. It has a reading range of up to 30 cm with an active card and 10 cm with an inactive card.

## Technical data

---

Housing	ABS base, clip-on ABS front cover
Color	White
Operating temperature	-30 to +50 °C
Environment	Indoor or outdoor use.
Operating voltage	10,6 to 32 VDC
Current consumption	100 mA
Dimensions (WxHxD)	40 x 140 x 18,5 mm
Card read distance	Up to 10 cm with passive card
Housing	ABS base, clip-on ABS front cover
Environment	Indoor or outdoor use.

## Details for ordering

---

Type	Part no	Designation	Weight
PR500-EM	S24246-F3913-A1	MULLION PROXIMITY READER	



Siemens Switzerland Ltd  
Building Technologies Group  
International Headquarters  
Fire Safety & Security Products  
Gubelstrasse 22  
CH-6301 Zug  
Tel. +41 41 724 24 24  
Fax +41 41 724 35 22  
[www.sbt.siemens.com](http://www.sbt.siemens.com)

© 2007 Copyright by  
Siemens Switzerland Ltd  
Data and design subject to change without notice.  
Supply subject to availability.

---

Document no. **A6V10074294\_a\_en**  
Edition 08.2005

Manual xx  
Section x